THE CORPORATION OF THE TOWN OF MILTON

BY-LAW NO. XXX-2024

BEING A BY-LAW TO AMEND THE TOWN OF MILTON COMPREHENSIVE ZONING BY-LAW 016-2014, AS AMENDED, PURSUANT TO SECTION 34 OF THE *PLANNING ACT* IN RESPECT OF ALL LANDS WITHIN THE URBAN AREA OF THE TOWN OF MILTON, REGIONAL MUNICIPALITY OF HALTON (TOWN FILE: Z-05/24).

WHEREAS the Council of the Corporation of the Town of Milton deems it appropriate to amend Comprehensive Zoning By-law 016-2014, as amended;

AND WHEREAS the lands affected by this By-law will comply with the Town of Milton Official Plan upon Official Plan Amendment No. 80 taking full effect;

NOW THEREFORE the Council of the Corporation of the Town of Milton hereby enacts as follows:

- 1.0 THAT Sections 1.11.2 ii) and 1.11.3 iii) and iv) of Comprehensive Zoning By-law 016-2014, as amended, are hereby further amended by modifying the phrase "date of passage of By-law NO. 077-2021 or 007-2022" to "date of passage of By-law NO. 077-2021, 007-2022, or XXX-2024" in all instances where this phrase occurs in these subsections.
- 2.0 THAT Section 1.11.5 ii) of Comprehensive Zoning By-law 016-2014, as amended, are hereby further amended by modifying the phrase "By-law NO. 077-2021 or 007-2022" to "By-law NO. 077-2021, 007-2022, or XXX-2024".
- 1.03.0 THAT Section 3 of Comprehensive Zoning By-law 016-2014, as amended, is hereby further amended by deleting the definition of DWELLING UNIT and replacing it with the following:

DWELLING UNIT

Means a room or group of rooms designed, occupied, or capable of being occupied as a single, self-contained housekeeping unit which contains separate sanitary facilities, living quarters, and cooking facilities.

- 2.04.0 THAT Section 3 of Comprehensive Zoning By-law 016-2014, as amended, is hereby further amended by deleting the definitions of DWELLING UNIT, ACCESSORY and GARDEN SUITE.
- 3.05.0 THAT Section 3 of Comprehensive Zoning By-law 016-2014, as amended, is hereby further amended by adding the following definitions:

DWELLING UNIT, ADDITIONAL

Means a self-contained *dwelling unit* that is subordinate to a principal *dwelling unit* in a *detached dwelling*, *semi-detached dwelling*, *semi-link dwelling*, or *townhouse dwelling* and is located within the same *building*, or within an *accessory building* on the same *lot*, as the principal *dwelling unit*.

4.06.0 **THAT** Section 3 of Comprehensive Zoning By-law 016-2014, as amended, is hereby further amended by modifying the definitions below as follows (Note: deletions are shown as a strikethrough and additions are underlined):

DRIVEWAY, RESIDENTIAL

Means a hard surface (consisting of, but not limited to, asphalt, concrete, patterned concrete, interlocking brick, or paving stone) on a *lot* having a residential *use* containing less than four (4) *dwelling units*, exclusive of any *additional dwelling unit(s)*, upon which vehicles drive and park, and includes an adjacent hard surface, capable of being parked or driven upon by part or the whole of a *motor vehicle*, such as, but not limited to, walkways, banding, or curbing.

DWELLING, DETACHED

Means a *building* containing not more than one *dwelling unit*, exclusive of any accessory <u>additional dwelling unit(s)</u>.

DWELLING, DUPLEX

Means a *building* divided horizontally above grade into two *dwelling units*, exclusive of any *additional dwelling unit(s)*, where each unit has an independent entrance directly from the outside or through a common vestibule or common corridor.

DWELLING, MULTIPLE

Means a *dwelling unit* in a *building* containing four or more *dwelling units*, each of which has an independent entrance directly from the outside or through a common vestibule or common corridor but does not include a *townhouse dwelling, stacked townhouse dwelling, quattroplex dwelling or a partment building*, or a residential principal building containing additional dwelling unit(s).

DWELLING, QUATTROPLEX

Means a *building* containing four *dwelling units* divided vertically and horizontally, and <u>each of</u> which has an independent entrance directly from the outside or through a common vestibule or common corridor, <u>but does not include a residential principal building containing additional dwelling unit(s).</u>

DWELLING, SEMI-DETACHED

Means a *building* divided vertically by a common wall into two *dwelling units* above grade, exclusive of any *additional dwelling unit(s)*.

DWELLING, SEMI-LINK

Means two *detached dwellings* which are only attached below *grade*, exclusive of any accessory dwelling unit additional dwelling unit(s).

DWELLING, TOWNHOUSE

Means a *building* divided vertically by *common walls* into 3 or more *dwelling units* above *grade*, exclusive of any *additional dwelling unit(s)*, and whereby each *dwelling unit* has an independent entrance into the unit from the outside and whereby each unit has access to the *rear yard*.

DWELLING, TRIPLEX

Means a *building* divided horizontally into three *dwelling units*, each of which has an independent entrance directly from the outside or through a common vestibule or common corridor, but does not include a residential *principal building* containing additional dwelling unit(s).

LANDSCAPING, PERMEABLE RESIDENTIAL

Means the vegetative landscaped surface areas (level or otherwise) capable of supporting the growth of vegetation that permit the infiltration of water into the ground such as grass, trees, shrubs, flowers, berms or other plants, berms, river rock, and decorative stone and permeable pavers, but does not include gravel or artificial turf, on a lot having a residential use containing less than four (4) or fewer dwelling units.

PARKING AREA

Means an open area, other than a street, used for the temporary loading or unloading of service vehicles, or the temporary parking of two or more vehicles that includes *loading spaces*, *parking spaces* and aisles and is available for public use as an accommodation for clients or customers or residents, and shall also include residential uses containing four or more *dwelling units* on the same *lot*, exclusive of any *additional dwelling unit(s)*, but does not include the storing of impounded, wrecked and/or otherwise inoperable vehicles.

7.0 THAT Section 4.1 iii) of Comprehensive Zoning By-law 016-2014, as amended, is hereby further amended by adding the phrase ", under," after the word "on".

- 5.08.0 THAT Section 4.1 of Comprehensive Zoning By-law 016-2014, as amended, is hereby further amended by deleting subsection iv) and renumbering the subsequent subsections accordingly.
- 6.09.0 THAT Section 4.2.1 of Comprehensive Zoning By-law 016-2014, as amended, is hereby further amended by adding the phrase "those containing an *additional dwelling unit*," after the word "excluding".
- 7.010.0 THAT Section 4.2.2.2 of Comprehensive Zoning By-law 016-2014, as amended, is hereby further amended by adding a new subsection iv) as follows:
 - iv) In addition to the regulations set out in Section 4.2.2.1, a *detached garage* that contains an *additional dwelling unit* is permitted on a *lot* in accordance with the following requirements:

Requirements Specific to *Street* Access and *Lane* Access *Detached Garages* Containing an *Additional Dwelling Unit*

- a) All *detached garages* containing an *additional dwelling unit* shall be subject to the following:
 - i) it is located in the interior side yard or rear yard of the lot only;
 - ii) it is located no closer than 1.2 m from an *interior side lot line*, unless it is attached to a *detached garage* on an *abutting lot*;
 - iii) it is located no closer to the *exterior side lot* line than permitted for the *principal building*;
 - iv) it is located no closer than 5.5 m from the *principal building*, including any *structure* with a *roof* that may be attached to the *principal building*, on a *lot*,
 - v) the Floor Area of the *additional dwelling unit* shall not exceed the Floor Area of the principal *dwelling unit* or 110 m², whichever is less:
 - vi) notwithstanding any other provision of this by-law to the contrary, for the purposes of this section, Floor Area shall mean the total area of all floors of a *dwelling unit*, measured from the interior walls, excluding *basements*, *stairs* and *landings*, cold cellars, and unfinished mechanical rooms; and
 - vii) roof-top patios amenity areas shall not be permitted.
- b) In addition to the requirements set out in subsection a), a one *storey* detached garage shall be subject to the following:
 - i) the *gross floor area* shall not exceed 10% of the lot area or 145 m², whichever is less;
 - ii) it is located no closer than 1.5 m from the *rear lot line* if the *detached garage* is accessed by a *residential driveway* crossing either the *front lot line* or *exterior side lot line*;

Requirements Specific to *Street* Access and *Lane* Access *Detached Garages* Containing an *Additional Dwelling Unit*

- iii) it is located no closer than 1.0 m from the *rear lot line* if the *lot* is accessed by a *residential driveway* from a *lane* crossing the *rear lot line*; and
- iv) the height shall not exceed:
 - A. 3.5 m in the case of a flat *roof*, measured from the *established grade* to the uppermost point of the *roof* surface or parapet, whichever is greater; or
 - B. 4.3 m in the case of a gable, hip, gambrel, or mansard *roof*, measured from the *established grade* to the uppermost point of the *roof* surface.
- c) In addition to the requirements set out in subsection a), a two *storey* detached garage shall be subject to the following:
 - i) the *gross floor area* of the *first storey* shall not exceed 10% of the lot area or 110 m², whichever is lesser;
 - ii) it is located no closer than 2.5 m from the *rear lot line* if the *detached garage* is accessed by a *residential driveway* crossing either the *front lot line* or *exterior side lot line*:
 - iii) it is located no closer than 1.0 m from the *rear lot line* if the *lot* is accessed by a *residential driveway* from a *lane* crossing the *rear lot line*;
 - i) the height shall not exceed:
 - A. 6.0 m in the case of a flat *roof*, measured from the *established grade* to the uppermost point of the *roof* surface or parapet, whichever is greater; or
 - B. 7.0 m in the case of a gable, hip, gambrel, or mansard *roof*, measured from the *established grade* to the uppermost point of the *roof* surface; and,
 - C. Notwithstanding a) and b) above, in no case shall the overall height exceed that of the *principal building*.
- d) In addition to the requirements set out in b) or c), whichever is applicable, lane access detached garages shall be subject to the following:
 - i) The required outside *parking spaces* on a *lot* accessed by a *residential driveway* from a *lane* are:
 - A. located parallel to each other, whether in or outside of a *detached garage or carport*, and,
 - B. shall be located no farther than 6.0 m from the *rear lot line*.

8.011.0 **THAT** Section 4.2.4 i) of Comprehensive Zoning By-law 016-2014, as amended, is hereby further amended by adding the phrase ", but excluding those containing an additional dwelling unit," after the word "carports".

9.012.0 THAT Section 4 of Comprehensive Zoning By-law 016-2014, as amended, is hereby further amended by adding a new Section 4.2.5 as follows:

4.2.5 Regulations for Accessory Buildings Containing an Additional Dwelling Unit

In addition to the requirements of Section 4.1, an *accessory building*, excluding a *detached garage*, that contains a permitted *additional dwelling unit* in accordance with Section 4.10, is permitted subject to the following provisions:

- i) the building shall be permitted in a *rear yard* or an *interior side yard*;
- ii) it shall be located no closer to an *exterior side lot line* than permitted for the *principal building*;
- iii) it shall be located no closer than 1.2 m from an *interior side lot line*;
- iv) it shall be located no closer than 1.5 m from a *rear lot line*;
- v) it shall be located no closer than 3.5 m from the *principal building*, including any *structure* with a *roof* that may be attached to the *principal building*, on the *lot*,
- vi) the *gross floor area* shall not exceed 10% of the *lot* area or 110 m², whichever is less;
- vii) the height shall not exceed:
 - A. 3.5 m in the case of a flat *roof*, measured from the *established grade* to the uppermost point of the *roof* surface or parapet, whichever is greater; or
 - B. 4.3 m in the case of a gable, hip, gambrel, or mansard *roof*, measured from the *established grade* to the uppermost point of the *roof* surface:
- viii) notwithstanding the definition of *Lot Coverage* in Section 3, the *building* shall be included in the *lot coverage* calculation; and,
- ix) roof-top-patios_amenity areas shall not be permitted.
- 10.013.0 THAT Section 4.3.1 of Comprehensive Zoning By-law 016-2014, as amended, is hereby further amended by adding the phrase ", under," after the word "on" and replacing the "." at the end of subsection ii) with "; and," and by adding a new subsection iii) as follows:

- iii) Notwithstanding any provisions of Section 4.3.1 to the contrary, *decks* associated with an *accessory building* containing an *additional dwelling unit* are permitted in accordance with the following:
 - a) The platform of the *deck* shall not exceed 0.6 m in *height*above grade and in no case shall be higher than the floor of the *first storey*,
 - b) Decks shall be subject to the minimum setbacks required for the accessory building as set out in subsection 4.2.5 or 4.2.2.2.
- 11.014.0 THAT Section 4.4 of Comprehensive Zoning By-law 016-2014, as amended, is hereby further amended by deleting "; and" at the end of subsection i), by replacing the "." at the end of subsection ii) with "; and," and by adding a new subsections iii) and iv) as follows:
 - iii) Notwithstanding ii) above to the contrary, porches/verandas associated with a principal building shall be setback a minimum of 3.5 m to an accessory building containing an additional dwelling unit and 5.5 m to a detached garage containing an additional dwelling unit, and,
 - iii) Notwithstanding any provisions of Section 4.4 to the contrary, the following provisions shall apply to a *porch/veranda* associated with an *accessory building* containing an *additional dwelling unit*.
 - a) Porches/Verandas shall not be located above the floor of the first storey; and,
 - b) Porches/verandas shall comply with the minimum setbacks required for the *accessory building* as set out in subsection 4.2.5 or 4.2.2.2.
- 12.015.0 THAT Section 4.5 of Comprehensive Zoning By-law 016-2014, as amended, is hereby further amended by deleting the word "and;" at the end of subsection ii), by replacing the "." at the end of subsection iii) with "; and," and by adding a new subsection iv) as follows:
 - iv) Notwithstanding any provisions of Section 4.5 to the contrary, the following provisions shall apply to *balconies* associated with an *accessory building* containing an *additional dwelling unit*:
 - a) Balconies shall not be permitted on any wall facing an abutting residential zone:
 - b) Where the side of a *balcony* faces an *abutting* residential *zone*, a full visual screen with a minimum height of 1.5 m from the platform of the *balcony* shall be provided on that side; and
 - c) A *balcony* shall comply with the minimum *setbacks* required for the *accessory building*.

- 16.0 THAT Section 4.6.1 of Comprehensive Zoning By-law 016-2014, as amended, is hereby further amended by adding a new subsection ii) as follows, and by renumbering the subsequent subsections accordingly:
 - ii) In addition to the requirements of Section 4.6.1 i), ground level HVAC and emergency generators associated with an accessory building containing an additional dwelling unit shall be setback a minimum of 3.5 m from the principal building, and,
- 13.017.0 THAT Section 4.9 of Comprehensive Zoning By-law 016-2014, as amended, is hereby further amended by amending subsection ii) as follows:
 - ii) It is attached to the *principal building* or to an *accessory building* containing an *additional dwelling unit*.
- 14.018.0 THAT Section 4 of Comprehensive Zoning By-law 016-2014, as amended, is hereby further amended by deleting Section 4.10 and replacing it with the following:

4.10 ADDITIONAL DWELLING UNITS

Additional dwelling units shall be permitted in accordance with the following:

- i) Additional dwelling units are permitted within the following buildings where permitted by this by-law:
 - a) Detached dwelling,
 - b) Semi-detached dwelling.
 - c) Semi-link dwelling,
 - d) Townhouse dwelling, and,
 - e) Accessory building located on the same lot as the foregoing;
- ii) A maximum of three (3) additional dwelling units are permitted on a lot,
- iii) Not more than one (1) additional dwelling unit(s) shall be located in an accessory building on a lot,
- iv) An *additional dwelling unit* must be served by municipal water and wastewater services;
- v) Additional dwelling units shall not be permitted on lands identified by a Conservation Authority as hazard lands or as being within the regulatory flood plain, unless specifically permitted by the Conservation Authority having jurisdiction;

- vi) An unobstructed pedestrian access with a minimum width of 1.2 m and minimum vertical clearance of 2.1 m shall be provided and maintained from the *street line* to the <u>primary principal</u> entrance of an *additional dwelling unit*,
- vii) Notwithstanding vi) above, the following encroachments shall be permitted within the minimum 1.2 m width of the unobstructed pedestrian access:
 - a) Utility metres;
 - a)b) Window wells with a maximum projection of 0.3 m;
 - c) Gates with a minimum unobstructed opening of 1.02 m; and,
 - b)d) Stairs and landings above grade in accordance with Section 4.10 viii) e).
- viii) Where one or more *additional dwelling unit(s)* is located within a *principal building*.
 - a) The Floor Area of each additional dwelling unit, or portion(s) thereof, -located on the first storey or above shall not exceed 85 m²;
 - b) The total Floor Area of all additional dwelling units, or portion(s) thereof, -located on the first storey or above, shall not cumulatively exceed a maximum of 50% of the Floor Area of the principal dwelling unit,
 - c) Aan additional dwelling unit that is located in a basement may occupy the entire basement, and
 - d) Neotwithstanding any other provision of this by-law to the contrary, for the purposes of this section, Floor Area shall mean the total area of all floors of a dwelling unit, measured from the interior walls, excluding basements, stairs and landings, cold cellars, and unfinished mechanical rooms; and,
 - Notwithstanding any other provision of this by-law to the contrary, an above *grade* entrance meeting the minimum unobstructed pedestrian access requirements of Section 4.10 vi) and vii) and used as the principal entrance to an *additional dwelling unit* may be accessed by a *landing* provided it is less than 0.6 m above *grade*, has a maximum length and width of 0.9 m, and *stairs* are provided at both the front and rear of the *landing* as may be necessary to provide pedestrian access from the *front yard* to the *rear yard*.

ix) On a lot containing an *additional dwelling unit* within an *accessory building* in a RMD1 or RMD2 zone, the following minimum *permeable residential landscaping* shall be provided:

Dwelling Type	Minimum Percentage of <i>Lot</i> Area
Detached Dwelling, Semi-Link Dwelling	35%
and Semi-Detached Dwelling	
Townhouse Dwelling	25%

- x) In addition to the regulations set out in this section, *accessory buildings* containg an *additional dwelling unit* shall be subject to the regulations of Section 4.2.
- 15.019.0 THAT Section 4.19.2 of Comprehensive Zoning By-law 016-2014, as amended, is hereby further amended as follows:

A maximum of one *principal* residential *principal* building is permitted on a *lot*, or on a parcel of tied land in a Common Element condominium or on a unit in a condominium in accordance with the Condominium Act, for the following:

16.020.0 **THAT** Section 4.19.5 Table 4H of Comprehensive Zoning By-law 016-2014, as amended, is hereby further amended by adding and/or modifying the following in the table:

Structure	Required Setbacks	Maximum Distance
Window Wells	Interior Side Setback, Exterior Side Setback, Rear Setback	0.55m into a required interior side yard, no closer than 1.2 m to from an exterior side lot line, and no maximum for into a required rear yard
Stairs, Below Grade Accessing A Principal Building	Rear Setback, Exterior Side Setback	No Maximum for the into a required rear yard and no closer than 1.2 m from an exterior side lot line

17.021.0 THAT Section 4.19.5 of Comprehensive Zoning By-law 016-2014, as amended, is hereby further amended by adding a new subsection iii) and Table 4H(I) as follows:

iii) Notwithstanding any provision of this by-law to the contrary, no encroachments shall be permitted within the minimum *setbacks* required for an *accessory building* containing an *additional dwelling unit* except in accordance with the following:

TABLE 4H(I)

Structure	Required Setbacks	Maximum Distance
Eaves & Gutters	Rear Setback, Interior Side Setback, Exterior Side Setback, or Setback from Prinicipal Building	0.45m provided that the eaves and gutters are a minimum of 2.0m above <i>grade</i>

- 18.022.0 THAT Section 4.22.1 of Zoning By-law 016-2014, as amended, is hereby further amended by adding the phrase "or *building* containing an *additional dwelling unit*" after the phrase "no permanent *building* or *structure*";
- 19.023.0 THAT Section 4.24 of Comprehensive Zoning By-law 016-2014, as amended, is hereby further amended by deleting the "." at the end of subsection ii) and replacing it with "; and," and by adding a new subsection iii) as follows:
 - iii) Notwithstanding any provisions of this by-law to the contrary, on a *lot* containing one or more *additional dwelling unit(s)*, the whole or a portion of only one *dwelling unit* on the *lot* may be used as a *short-term rental*.
- 20.024.0 THAT Sections 5.1 iv) and vi) of Comprehensive Zoning By-law 016-2014, as amended, is hereby further amended by adding "exclusive of additional dwelling units" after "less than four (4) dwelling units" in each subsection;
- **21.0**25.0 **THAT** Section 5.6.2 of Zoning By-law 016-2014, as amended, is hereby further amended by modifying the following provision as follows:
 - "Access to residential *dwellings* containing less than four units, <u>exclusive of additional dwelling units</u>, shall be provided by an unobstructed *driveway* in accordance with the following";
- **22.0**26.0 **THAT** Section Section 5.6.2 of Zoning By-law 016-2014, as amended, is hereby further amended by adding a new subsection ii) as follows and by renumbering the subsequent subsections and updating any references to those subsections throughout the by-law accordingly:
 - ii) Notwithstanding i) above, on a *lot* where one or more *additional dwelling unit(s)* is located, the minimum size of a required *parking space* on a *residential driveway* shall be 2.552.50 m wide by 5.5 m in length;

- **23.0**27.0 **THAT** Section 5.6.2 ix) of Comprehensive Zoning By-law 016-2014, as amended, is hereby further amended by modifying the section as follows:
 - ix) The following surface areas of a lot shall only be <u>permeable residential</u> <u>landscaping</u>, <u>excluding permeable pavers</u>, a <u>permeable Residential</u> <u>landscaped surface such as grass</u>, troos, shrubs, flowers or other plants, river rock, decorative stone, etc.that permits the infiltration of water into the ground, but may include a portion of a retaining wall that is not permeable:
- **24.0**28.0 **THAT** Section 5.6.2 x) of Comprehensive Zoning By-law 016-2014, as amended, is hereby further amended by adding the word "permeable" before the words "residential landscaping";
- **25.0**29.0 **THAT** Section 5.8.1 i) of Comprehensive Zoning By-law 016-2014, as amended, is hereby further amended by modifying the following rows in Table 5E as follows:

Type or Nature of Use	Minimum Off-Street Parking Requirements	
Dwellings with individual driveway access from a public street	2 parking spaces per dwelling unit (*2)	
Accessory <u>Additional</u> Dwelling Units	1 parking space per accessory additional dwelling unit	
All other dwellings units	 2 parking spaces per dwelling unit (*2) PLUS 0.25 parking spaces per unit for visitors on a lot with four or more dwelling units 	

Footnote(s) to TABLE 5E

- (*1) For lands within the UGC-MU designation shown to contain a star symbol followed by a number on schedules to this By-law, the special parking provisions in Section 13.1.1 of this By-Law shall only apply where the required parking rate is less than the parking requirements in Table 5E.
- (*2) Where one or more additional dwelling unit(s) is located on the lot, a minimum of 1 parking space per dwelling unit shall be provided.
- 26.030.0 THAT if no appeal is filed pursuant to Section 34 (19) of the Planning act, RSO 1990, c. P13, as amended, or if an appeal is filed and the Local Planning AppealOntario Land Tribunal dismisses the appeal, this By-law shall come into force on the day of its passing. If the Land Use Planning Appeal Tribunal amends the By-law pursuant to Section 34 (26) of the Planning Act, as amended, the part or parts so amended come into force upon the day of the Tribunal's Order is issued directing the amendment or amendments.

PASSED IN OPEN COUNCIL	ON.		2024
------------------------	-----	--	------

	Mayor
Gordon A. Krantz	
	Town Clerk
Meaghen Reid	

